

8 Tidal Variations in the Earth's Rotation

Periodic variations in UT1 due to tidal deformation of the polar moment of inertia were first derived by Yoder *et al.* (1981) and included the tidal deformation of the Earth with a decoupled core, an elastic mantle and an equilibrium ocean tide. This model used effective Love numbers that differ from the bulk value of 0.301 because of the oceans and the fluid core, producing different theoretical values of the ratio k/C for the fortnightly and monthly terms. However, Yoder *et al.* recommend the value of 0.94 for k/C for both cases. Tables in previous IERS Technical Notes defined UT1R–UTC, $\Delta - \Delta R$, and $\omega - \omega R$ where Δ refers to the length of day and ω the Earth's rotational speed.

Periodic variations in UT1 due to tidal deformations for an Earth model with a decoupled core and an inelastic mantle have been computed by Defraigne and Smits (1999). The mantle inelasticity model is the same as for the displacement and potential Love numbers (Chapters 6 and 7), *i.e.* a frequency dependence of $(f_m/f)^\alpha$ where $\alpha = 0.15$, f_m is the seismic frequency corresponding to a period of 200 s, and f is the tidal frequency. The ocean effects are included in the model using a transfer function that is constant with frequency ($k_{ocean}=0.044$) computed by Mathews *et al.* (2002) for an equilibrium ocean tide model. Note that Dickman (2003) finds a value $k_{ocean}=0.04323$ for dynamic oceans. The decision to use a constant admittance is due to the absence of agreement between the existing models of non-equilibrium ocean tide effects for the long-period tides (Dickman, 1993; Seiler and Wünsch, 1995).

Table 8.1 provides corrections for the tidal variations in the Earth's rotation with periods from five days to 18.6 years. These corrections ($\delta UT1$, $\delta \Delta$, $\delta \omega$) represent the effect of tidal deformation on the physical variations in the rotation of the Earth. To obtain variations free from tidal effects, these corrections should be subtracted from the observed UT1–UTC, length of day (Δ) and rotation velocity (ω).

$$\begin{aligned}\delta UT1 &= \sum_{i=1}^{62} B_i \sin \xi_i + C_i \cos \xi_i, \\ \delta \Delta &= \sum_{i=1}^{62} B'_i \cos \xi_i + C'_i \sin \xi_i, \\ \delta \omega &= \sum_{i=1}^{62} B''_i \cos \xi_i + C''_i \sin \xi_i, \\ \xi_i &= \sum_{j=1}^5 a_{ij} \alpha_j,\end{aligned}$$

B_i , C_i , B'_i , C'_i , B''_i , and C''_i are given in columns 7–12 respectively in Table 8.1. a_{ij} = integer multipliers of the α_j (l , l' , F , D or Ω) for the i^{th} tide given in the first five columns of Table 8.1.

To avoid confusion among possible tidal models, it is recommended that the terms $\delta UT1$, $\delta \Delta$, $\delta \omega$ be followed by the model name in parenthesis, *e.g.* $\delta UT1(\text{Defraigne and Smits, 1999})$.

Software to provide corrections modeling the diurnal and sub-diurnal variations in polar motion and UT1 are available from the IERS Conventions web page. These are provided by Eanes (2000) and are based on Ray *et al.* (1994). The software includes 71 tidal constituents with amplitudes on the order of tenths of milliarseconds in polar motion and tens of microseconds in UT1.

Table 8.1 Zonal tide terms. δUT1 , $\delta\Delta$, and $\delta\omega$ represent the regularized forms of UT1, the duration of the day Δ , and the angular velocity of the Earth, ω . The units are 10^{-4} s for UT1, 10^{-5} s for Δ , and 10^{-14} rad/s for ω .

ARGUMENT					PERIOD	δUT1		$\delta\Delta$		$\delta\omega$	
l	l'	F	D	Ω	Days	Sin	Cos	Coefficient of		Cos	Sin
1	0	2	2	2	5.64	-0.02	0.00	0.26	0.00	-0.22	0.00
2	0	2	0	1	6.85	-0.04	0.00	0.38	0.00	-0.32	0.00
2	0	2	0	2	6.86	-0.10	0.00	0.91	0.00	-0.76	0.00
0	0	2	2	1	7.09	-0.05	0.00	0.45	0.00	-0.38	0.00
0	0	2	2	2	7.10	-0.12	0.00	1.09	0.01	-0.92	-0.01
1	0	2	0	0	9.11	-0.04	0.00	0.27	0.00	-0.22	0.00
1	0	2	0	1	9.12	-0.41	0.00	2.84	0.02	-2.40	-0.01
1	0	2	0	2	9.13	-1.00	0.01	6.85	0.04	-5.78	-0.03
3	0	0	0	0	9.18	-0.02	0.00	0.12	0.00	-0.11	0.00
-1	0	2	2	1	9.54	-0.08	0.00	0.54	0.00	-0.46	0.00
-1	0	2	2	2	9.56	-0.20	0.00	1.30	0.01	-1.10	-0.01
1	0	0	2	0	9.61	-0.08	0.00	0.50	0.00	-0.42	0.00
2	0	2	-2	2	12.81	0.02	0.00	-0.11	0.00	0.09	0.00
0	1	2	0	2	13.17	0.03	0.00	-0.12	0.00	0.10	0.00
0	0	2	0	0	13.61	-0.30	0.00	1.39	0.01	-1.17	-0.01
0	0	2	0	1	13.63	-3.22	0.02	14.86	0.09	-12.54	-0.08
0	0	2	0	2	13.66	-7.79	0.05	35.84	0.22	-30.25	-0.18
2	0	0	0	-1	13.75	0.02	0.00	-0.10	0.00	0.08	0.00
2	0	0	0	0	13.78	-0.34	0.00	1.55	0.01	-1.31	-0.01
2	0	0	0	1	13.81	0.02	0.00	-0.08	0.00	0.07	0.00
0	-1	2	0	2	14.19	-0.02	0.00	0.11	0.00	-0.09	0.00
0	0	0	2	-1	14.73	0.05	0.00	-0.20	0.00	0.17	0.00
0	0	0	2	0	14.77	-0.74	0.00	3.14	0.02	-2.65	-0.02
0	0	0	2	1	14.80	-0.05	0.00	0.22	0.00	-0.19	0.00
0	-1	0	2	0	15.39	-0.05	0.00	0.21	0.00	-0.17	0.00
1	0	2	-2	1	23.86	0.05	0.00	-0.13	0.00	0.11	0.00
1	0	2	-2	2	23.94	0.10	0.00	-0.26	0.00	0.22	0.00
1	1	0	0	0	25.62	0.04	0.00	-0.10	0.00	0.08	0.00
-1	0	2	0	0	26.88	0.05	0.00	-0.11	0.00	0.09	0.00
-1	0	2	0	1	26.98	0.18	0.00	-0.41	0.00	0.35	0.00
-1	0	2	0	2	27.09	0.44	0.00	-1.02	-0.01	0.86	0.01
1	0	0	0	-1	27.44	0.54	0.00	-1.23	-0.01	1.04	0.01
1	0	0	0	0	27.56	-8.33	0.06	18.99	0.13	-16.03	-0.11
1	0	0	0	1	27.67	0.55	0.00	-1.25	-0.01	1.05	0.01
0	0	0	1	0	29.53	0.05	0.00	-0.11	0.00	0.09	0.00
1	-1	0	0	0	29.80	-0.06	0.00	0.12	0.00	-0.10	0.00
-1	0	0	2	-1	31.66	0.12	0.00	-0.24	0.00	0.20	0.00
-1	0	0	2	0	31.81	-1.84	0.01	3.63	0.02	-3.07	-0.02
-1	0	0	2	1	31.96	0.13	0.00	-0.26	0.00	0.22	0.00
1	0	-2	2	-1	32.61	0.02	0.00	-0.04	0.00	0.03	0.00
-1	-1	0	2	0	34.85	-0.09	0.00	0.16	0.00	-0.13	0.00
0	2	2	-2	2	91.31	-0.06	0.00	0.04	0.00	-0.03	0.00
0	1	2	-2	1	119.61	0.03	0.00	-0.02	0.00	0.01	0.00
0	1	2	-2	2	121.75	-1.91	0.02	0.98	0.01	-0.83	-0.01
0	0	2	-2	0	173.31	0.26	0.00	-0.09	0.00	0.08	0.00
0	0	2	-2	1	177.84	1.18	-0.01	-0.42	0.00	0.35	0.00
0	0	2	-2	2	182.62	-49.06	0.43	16.88	0.15	-14.25	-0.13
0	2	0	0	0	182.63	-0.20	0.00	0.07	0.00	-0.06	0.00
2	0	0	-2	-1	199.84	0.05	0.00	-0.02	0.00	0.01	0.00
2	0	0	-2	0	205.89	-0.56	0.01	0.17	0.00	-0.14	0.00
2	0	0	-2	1	212.32	0.04	0.00	-0.01	0.00	0.01	0.00
0	-1	2	-2	1	346.60	-0.05	0.00	0.01	0.00	-0.01	0.00
0	1	0	0	-1	346.64	0.09	0.00	-0.02	0.00	0.01	0.00
0	-1	2	-2	2	365.22	0.82	-0.01	-0.14	0.00	0.12	0.00

(continued on next page)

(Table 8.1: continued)

0	1	0	0	0	365.26	-15.65	0.15	2.69	0.03	-2.27	-0.02
0	1	0	0	1	386.00	-0.14	0.00	0.02	0.00	-0.02	0.00
1	0	0	-1	0	411.78	0.03	0.00	0.00	0.00	0.00	0.00
2	0	-2	0	0	1095.17	-0.14	0.00	-0.01	0.00	0.01	0.00
-2	0	2	0	1	1305.47	0.43	-0.01	-0.02	0.00	0.02	0.00
-1	1	0	1	0	3232.85	-0.04	0.00	0.00	0.00	0.00	0.00
0	0	0	0	2	3399.18	8.20	0.11	0.15	0.00	-0.13	0.00
0	0	0	0	1	6798.38	-1689.54	-25.04	-15.62	0.23	13.18	-0.20

Table 8.2a Coefficients of $\sin(\text{argument})$ and $\cos(\text{argument})$ of diurnal variations in pole coordinates x_p and y_p caused by ocean tides. The units are μs ; χ denotes $\text{GMST}+\pi$.

<i>Tide</i>	χ	argument					Doodson number	Period (days)	x_p		y_p	
		l	l'	F	D	Ω			sin	cos	sin	cos
2Q1	1	-1	0	-2	-2	-2	117.655	1.2113611	0.0	0.9	-0.9	-0.1
	1	-2	0	-2	0	-1	125.745	1.1671262	0.1	0.6	-0.6	0.1
	1	-2	0	-2	0	-2	125.755	1.1669259	0.3	3.4	-3.4	0.3
	1	0	0	-2	-2	-1	127.545	1.1605476	0.1	0.8	-0.8	0.1
$\sigma 1$	1	0	0	-2	-2	-2	127.555	1.1603495	0.5	4.2	-4.1	0.5
Q1	1	-1	0	-2	0	-1	135.645	1.1196993	1.2	5.0	-5.0	1.2
	1	-1	0	-2	0	-2	135.655	1.1195148	6.2	26.3	-26.3	6.2
RO1	1	1	0	-2	-2	-1	137.445	1.1136429	0.2	0.9	-0.9	0.2
	1	1	0	-2	-2	-2	137.455	1.1134606	1.3	5.0	-5.0	1.3
	1	0	0	-2	0	0	145.535	1.0761465	-0.3	-0.8	0.8	-0.3
O1	1	0	0	-2	0	-1	145.545	1.0759762	9.2	25.1	-25.1	9.2
	1	0	0	-2	0	-2	145.555	1.0758059	48.8	132.9	-132.9	48.8
	1	-2	0	0	0	0	145.755	1.0750901	-0.3	-0.9	0.9	-0.3
T01	1	0	0	0	-2	0	147.555	1.0695055	-0.7	-1.7	1.7	-0.7
	1	-1	0	-2	2	-2	153.655	1.0406147	-0.4	-0.9	0.9	-0.4
	1	1	0	-2	0	-1	155.445	1.0355395	-0.3	-0.6	0.6	-0.3
M1	1	1	0	-2	0	-2	155.455	1.0353817	-1.6	-3.5	3.5	-1.6
	1	-1	0	0	0	0	155.655	1.0347187	-4.5	-9.6	9.6	-4.5
	1	-1	0	0	0	-1	155.665	1.0345612	-0.9	-1.9	1.9	-0.9
$\chi 1$	1	1	0	0	-2	0	157.455	1.0295447	-0.9	-1.8	1.8	-0.9
$\pi 1$	1	0	-1	-2	2	-2	162.556	1.0055058	1.5	3.0	-3.0	1.5
	1	0	0	-2	2	-1	163.545	1.0028933	-0.3	-0.6	0.6	-0.3
P1	1	0	0	-2	2	-2	163.555	1.0027454	26.1	51.2	-51.2	26.1
	1	0	1	-2	2	-2	164.554	1.0000001	-0.2	-0.4	0.4	-0.2
S1	1	0	-1	0	0	0	164.556	0.9999999	-0.6	-1.2	1.2	-0.6
	1	0	0	0	0	1	165.545	0.9974159	1.5	3.0	-3.0	1.5
K1	1	0	0	0	0	0	165.555	0.9972695	-77.5	-151.7	151.7	-77.5
	1	0	0	0	0	-1	165.565	0.9971233	-10.5	-20.6	20.6	-10.5
	1	0	0	0	0	-2	165.575	0.9969771	0.2	0.4	-0.4	0.2
$\psi 1$	1	0	1	0	0	0	166.554	0.9945541	-0.6	-1.2	1.2	-0.6
$\phi 1$	1	0	0	2	-2	2	167.555	0.9918532	-1.1	-2.1	2.1	-1.1
TT1	1	-1	0	0	2	0	173.655	0.9669565	-0.7	-1.4	1.4	-0.7
J1	1	1	0	0	0	0	175.455	0.9624365	-3.5	-7.3	7.3	-3.5
	1	1	0	0	0	-1	175.465	0.9623003	-0.7	-1.4	1.4	-0.7
SO1	1	0	0	0	2	0	183.555	0.9341741	-0.4	-1.1	1.1	-0.4
OO1	1	2	0	0	0	0	185.355	0.9299547	-0.2	-0.5	0.5	-0.2
	1	0	0	2	0	2	185.555	0.9294198	-1.1	-3.4	3.4	-1.1
	1	0	0	2	0	1	185.565	0.9292927	-0.7	-2.2	2.2	-0.7
$\nu 1$	1	0	0	2	0	0	185.575	0.9291657	-0.1	-0.5	0.5	-0.1
	1	1	0	2	0	2	195.455	0.8990932	0.0	-0.6	0.6	0.0
	1	1	0	2	0	1	195.465	0.8989743	0.0	-0.4	0.4	0.0

Table 8.2b Coefficients of $\sin(\text{argument})$ and $\cos(\text{argument})$ of semidiurnal variations in pole coordinates x_p and y_p caused by ocean tides. The units are μas ; χ denotes GMST+ π .

<i>Tide</i>	argument						Doodson number	Period (days)	x_p		y_p	
	χ	l	l'	F	D	Ω			sin	cos	sin	cos
2N2	2	-3	0	-2	0	-2	225.855	0.5484264	-0.5	0.0	0.6	0.2
	2	-1	0	-2	-2	-2	227.655	0.5469695	-1.3	-0.2	1.5	0.7
	2	-2	0	-2	0	-2	235.755	0.5377239	-6.1	-1.6	3.1	3.4
	$\mu 2$	2	0	0	-2	-2	237.555	0.5363232	-7.6	-2.0	3.4	4.2
	2	0	1	-2	-2	-2	238.554	0.5355369	-0.5	-0.1	0.2	0.3
	2	-1	-1	-2	0	-2	244.656	0.5281939	0.5	0.1	-0.1	-0.3
N2	2	-1	0	-2	0	-1	245.645	0.5274721	2.1	0.5	-0.4	-1.2
	2	-1	0	-2	0	-2	245.655	0.5274312	-56.9	-12.9	11.1	32.9
	2	-1	1	-2	0	-2	246.654	0.5266707	-0.5	-0.1	0.1	0.3
$\nu 2$	2	1	0	-2	-2	-2	247.455	0.5260835	-11.0	-2.4	1.9	6.4
	2	1	1	-2	-2	-2	248.454	0.5253269	-0.5	-0.1	0.1	0.3
	2	-2	0	-2	2	-2	253.755	0.5188292	1.0	0.1	-0.1	-0.6
M2	2	0	-1	-2	0	-2	254.556	0.5182593	1.1	0.1	-0.1	-0.7
	2	0	0	-2	0	-1	255.545	0.5175645	12.3	1.0	-1.4	-7.3
	2	0	0	-2	0	-2	255.555	0.5175251	-330.2	-27.0	37.6	195.9
	2	0	1	-2	0	-2	256.554	0.5167928	-1.0	-0.1	0.1	0.6
	$\lambda 2$	2	-1	0	-2	2	263.655	0.5092406	2.5	-0.3	-0.4	-1.5
	L2	2	1	0	-2	0	265.455	0.5079842	9.4	-1.4	-1.9	-5.6
T2	2	-1	0	0	0	0	265.655	0.5078245	-2.4	0.4	0.5	1.4
	2	-1	0	0	0	-1	265.665	0.5077866	-1.0	0.2	0.2	0.6
	2	0	-1	-2	2	-2	272.556	0.5006854	-8.5	3.5	3.3	5.1
S2	2	0	0	-2	2	-2	273.555	0.5000000	-144.1	63.6	59.2	86.6
R2	2	0	1	-2	2	-2	274.554	0.4993165	1.2	-0.6	-0.5	-0.7
K2	2	0	0	0	0	1	275.545	0.4986714	0.5	-0.2	-0.2	-0.3
	2	0	0	0	0	0	275.555	0.4986348	-38.5	19.1	17.7	23.1
	2	0	0	0	0	-1	275.565	0.4985982	-11.4	5.8	5.3	6.9
	2	0	0	0	0	-2	275.575	0.4985616	-1.2	0.6	0.6	0.7
	2	1	0	0	0	0	285.455	0.4897717	-1.8	1.8	1.7	1.0
	2	1	0	0	0	-1	285.465	0.4897365	-0.8	0.8	0.8	0.5
	2	0	0	2	0	2	295.555	0.4810750	-0.3	0.6	0.7	0.2

Table 8.3a Coefficients of $\sin(\text{argument})$ and $\cos(\text{argument})$ of diurnal variations in UT1 and LOD caused by ocean tides. The units are μs ; χ denotes $\text{GMST} + \pi$.

<i>Tide</i>	argument						Doodson number	Period (days)	UT1		LOD	
	χ	l	l'	F	D	Ω			sin	cos	sin	cos
2Q1	1	-1	0	-2	-2	-2	117.655	1.2113611	0.40	-0.08	-0.41	-2.06
	1	-2	0	-2	0	-1	125.745	1.1671262	0.19	-0.06	-0.32	-1.05
	1	-2	0	-2	0	-2	125.755	1.1669259	1.03	-0.31	-1.69	-5.57
	1	0	0	-2	-2	-1	127.545	1.1605476	0.22	-0.07	-0.39	-1.21
σ 1	1	0	0	-2	-2	-2	127.555	1.1603495	1.19	-0.39	-2.09	-6.43
	1	-1	0	-2	0	-1	135.645	1.1196993	0.97	-0.47	-2.66	-5.42
Q1	1	-1	0	-2	0	-2	135.655	1.1195148	5.12	-2.50	-14.02	-28.72
	1	1	0	-2	-2	-1	137.445	1.1136429	0.17	-0.09	-0.51	-0.97
RO1	1	1	0	-2	-2	-2	137.455	1.1134606	0.91	-0.47	-2.68	-5.14
	1	0	0	-2	0	0	145.535	1.0761465	-0.09	0.07	0.41	0.54
O1	1	0	0	-2	0	-1	145.545	1.0759762	3.03	-2.28	-13.31	-17.67
	1	0	0	-2	0	-2	145.555	1.0758059	16.02	-12.07	-70.47	-93.58
	1	-2	0	0	0	0	145.755	1.0750901	-0.10	0.08	0.46	0.60
T01	1	0	0	0	-2	0	147.555	1.0695055	-0.19	0.15	0.91	1.14
	1	-1	0	-2	2	-2	153.655	1.0406147	-0.08	0.07	0.45	0.50
M1	1	1	0	-2	0	-1	155.445	1.0355395	-0.06	0.05	0.31	0.35
	1	1	0	-2	0	-2	155.455	1.0353817	-0.31	0.27	1.65	1.87
	1	-1	0	0	0	0	155.655	1.0347187	-0.86	0.75	4.56	5.20
	1	-1	0	0	0	-1	155.665	1.0345612	-0.17	0.15	0.91	1.04
χ 1	1	1	0	0	-2	0	157.455	1.0295447	-0.16	0.14	0.84	0.98
π 1	1	0	-1	-2	2	-2	162.556	1.0055058	0.31	-0.19	-1.18	-1.97
	1	0	0	-2	2	-1	163.545	1.0028933	-0.06	0.03	0.22	0.39
P1	1	0	0	-2	2	-2	163.555	1.0027454	5.51	-3.10	-19.40	-34.54
	1	0	1	-2	2	-2	164.554	1.0000001	-0.05	0.02	0.16	0.30
S1	1	0	-1	0	0	0	164.556	0.9999999	-0.13	0.07	0.44	0.84
	1	0	0	0	0	1	165.545	0.9974159	0.35	-0.17	-1.07	-2.19
K1	1	0	0	0	0	0	165.555	0.9972695	-17.62	8.55	53.86	111.01
	1	0	0	0	0	-1	165.565	0.9971233	-2.39	1.16	7.30	15.07
ψ 1	1	0	0	0	0	-2	165.575	0.9969771	0.05	-0.03	-0.16	-0.33
	1	0	1	0	0	0	166.554	0.9945541	-0.14	0.06	0.41	0.91
ϕ 1	1	0	0	2	-2	2	167.555	0.9918532	-0.27	0.11	0.70	1.69
TT1	1	-1	0	0	2	0	173.655	0.9669565	-0.29	0.04	0.28	1.87
J1	1	1	0	0	0	0	175.455	0.9624365	-1.61	0.19	1.22	10.51
	1	1	0	0	0	-1	175.465	0.9623003	-0.32	0.04	0.24	2.09
SO1	1	0	0	0	2	0	183.555	0.9341741	-0.41	-0.01	-0.04	2.74
	1	2	0	0	0	0	185.355	0.9299547	-0.21	-0.01	-0.03	1.44
OO1	1	0	0	2	0	2	185.555	0.9294198	-1.44	-0.04	-0.25	9.70
	1	0	0	2	0	1	185.565	0.9292927	-0.92	-0.02	-0.16	6.23
ν 1	1	0	0	2	0	0	185.575	0.9291657	-0.19	0.00	-0.03	1.30
	1	1	0	2	0	2	195.455	0.8990932	-0.40	-0.02	-0.17	2.77
	1	1	0	2	0	1	195.465	0.8989743	-0.25	-0.02	-0.11	1.77

Table 8.3b Coefficients of $\sin(\text{argument})$ and $\cos(\text{argument})$ of semidiurnal variations in UT1 and LOD caused by ocean tides. The units are μs ; χ denotes $\text{GMST} + \pi$.

<i>Tide</i>	argument						Doodson number	Period (days)	UT1		LOD	
	χ	l	l'	F	D	Ω			sin	cos	sin	cos
2N2	2	-3	0	-2	0	-2	225.855	0.5484264	-0.09	-0.01	-0.12	1.02
	2	-1	0	-2	-2	-2	227.655	0.5469695	-0.22	-0.03	-0.37	2.57
	2	-2	0	-2	0	-2	235.755	0.5377239	-0.64	-0.18	-2.06	7.44
	μ 2	2	0	0	-2	-2	237.555	0.5363232	-0.74	-0.22	-2.61	8.72
	2	0	1	-2	-2	-2	238.554	0.5355369	-0.05	-0.02	-0.18	0.58
	2	-1	-1	-2	0	-2	244.656	0.5281939	0.03	0.01	0.16	-0.39
N2	2	-1	0	-2	0	-1	245.645	0.5274721	0.14	0.06	0.70	-1.68
	2	-1	0	-2	0	-2	245.655	0.5274312	-3.79	-1.56	-18.57	45.20
	2	-1	1	-2	0	-2	246.654	0.5266707	-0.03	-0.01	-0.18	0.41
	ν 2	2	1	0	-2	-2	247.455	0.5260835	-0.70	-0.30	-3.57	8.33
	2	1	1	-2	-2	-2	248.454	0.5253269	-0.03	-0.01	-0.16	0.38
	2	-2	0	-2	2	-2	253.755	0.5188292	0.05	0.02	0.27	-0.60
M2	2	0	-1	-2	0	-2	254.556	0.5182593	0.06	0.03	0.31	-0.68
	2	0	0	-2	0	-1	255.545	0.5175645	0.60	0.27	3.23	-7.34
	2	0	0	-2	0	-2	255.555	0.5175251	-16.19	-7.15	-86.79	196.58
	2	0	1	-2	0	-2	256.554	0.5167928	-0.05	-0.02	-0.26	0.59
	λ 2	2	-1	0	-2	2	263.655	0.5092406	0.11	0.03	0.43	-1.37
	L2	2	1	0	-2	0	265.455	0.5079842	0.42	0.12	1.44	-5.25
T2	2	-1	0	0	0	0	265.655	0.5078245	-0.11	-0.03	-0.36	1.32
	2	-1	0	0	0	-1	265.665	0.5077866	-0.05	-0.01	-0.16	0.58
	2	0	-1	-2	2	-2	272.556	0.5006854	-0.44	-0.02	-0.24	5.48
	S2	2	0	0	-2	2	273.555	0.5000000	-7.55	-0.16	-2.00	94.83
	R2	2	0	1	-2	2	274.554	0.4993165	0.06	0.00	0.00	-0.80
	2	0	0	0	0	1	275.545	0.4986714	0.03	0.00	-0.01	-0.34
K2	2	0	0	0	0	0	275.555	0.4986348	-2.10	0.04	0.52	26.51
	2	0	0	0	0	-1	275.565	0.4985982	-0.63	0.01	0.19	7.91
	2	0	0	0	0	-2	275.575	0.4985616	-0.07	0.00	0.02	0.86
	2	1	0	0	0	0	285.455	0.4897717	-0.15	0.04	0.48	1.87
	2	1	0	0	0	-1	285.465	0.4897365	-0.06	0.02	0.21	0.82
	2	0	0	2	0	2	295.555	0.4810750	-0.05	0.02	0.24	0.63

References

- Defraigne, P. and Smits, I., 1999, "Length of day variations due to zonal tides for an elastic earth in non-hydrostatic equilibrium," *Geophys. J. Int.*, **139**, pp. 563–572.
- Dickman, S.R., 1993, "Dynamic ocean tide effects on Earth's rotation," *Geophys. J. Int.*, **112**, pp. 448–470.
- Dickman, S.R., 2003, "Evaluation of "Effective Angular Momentum Function" Formulations with respect to Core-Mantle Coupling," *Geophys. J. Int.*, March 2003.
- Eanes, R., 2000, personal communication.
- Mathews, P. M., Herring, T. A., and Buffet, B. A., 2002, "Modeling of nutation-precession: New nutation series for non-rigid Earth, and insights into Earth's interior," *J. Geophys. Res.*, **107**, B4, 10.1029/2001JB000390.
- Ray, R. D., Steinberg, D. J., Chao, B. F., and Cartwright, D. E., 1994, "Diurnal and Semidiurnal Variations in the Earth's Rotation Rate Induced by Oceanic Tides," *Science*, **264**, pp. 830–832.
- Seiler, U. and Wunsch, J., 1995, "A refined model for the influence of ocean tides on UT1 and polar motion," *Astron. Nachr.*, **316**, p. 419.
- Yoder, C. F., Williams, J. G., and Parke, M. E., 1981, "Tidal Variations of Earth Rotation," *J. Geophys. Res.*, **86**, pp. 881–891.